



Standard (GP), HEAVY DUTY (HD) and Rock Bucket									
PARAMETER (mm)									
Excavator Mode	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Cubage (M3)	W. (kgs)	G (mm)
<b>CAT SERIES</b>									
E70B	190	45	300	800	650	600	0.3	200	20
CAT307									
E311	220	65	400	1000	800	750	0.6	400	30
CAT312/D/DL									
CAT315/D/DL	280	70	430	1000	800	750	1	800	30
CAT320B/C/D	310	80	440	1200	1000	850			
CAT325B/C	360	80	460	1250	1100	880	1.2	1000	

E300B	375	90	470	1300	1200	900	1.4	1200	40
CAT330B/C	390	90/80	490	1300	1200	950	1.5	1300	
CAT330D	390	100/90	500						
CAT345	525	100/90	600	1450	1350	1150	2.2	2000	50
CAT365	550	120/110	655	1710	1800	1350	4	3800	80
CE460-5	300	80	450	1200	1000	850	1	800	30
CLG906	185	50	235	700	600	500	0.2	170	20
DH55-5	155	45	260	700	600	500	0.2	170	20
DH80-7	200	45	290	800	650	600	0.3	200	
DH150	280	65	385	1000	800	750	0.6	400	30
DH220-5/7	335	80	460	1200	1050	860	1.1	900	30
DH225-7									
DH258									
DH300	395	90	510	1300	1200	950	1.5	1300	40
DH330									
DH360	410	100	550	1350	1250	950	1.6	1400	50
ZAX50	160	45	230	700	600	500	0.2	170	20
ZAX55	180	45	310	800	650	600	0.3	200	
EX60									
ZAX70	200	50	310						
EX100	260	65	380	1000	800	750	0.6	400	30
EX120-5									
ZAX180	310	80	475	1200	1000	850	1	800	30
EX200-5									
ZAX200-3									
ZAX210-3									
ZAX220	410	90	475	1200	1050	860	1.1	900	40
EX230									
ZAX230-3									
ZAX240-3									
ZAX250-3									
ZAX270-3									
ZAX280-3									
EX300	420	100	585	1300	1200	950	1.5	1300	50
EX330									
ZAX330									
ZAX350	1350	1250	1050	1.8	1500				
ZAX360-3									
EX400	470	110	590	1400	1300	1100	2	1800	
ZAX450				1450	1350	1150	2.2	2000	
ZAX470				1500	1400	1200	2.5	2300	

EX700	555	130	670	1700	1500	1200	3.1	2900	80
ZAX850	570	140/130	700	1750	2000	1300	4.5	4100	
ZAX870									
HD250	200	55	320						20
HD307									
HD513	275	65	410						
HD550	295	60	400						25
HD700-5/7	305	70	510	1100	950	800	0.9	700	30
HD800									
HD820-2/3	305	80	510	1200	1000	850	1	800	
HD1023-1									
HD1250	330	90	530						40
HD1430	330	90	560	1350	1250	950	1.6	1400	
HD1880	450	100	590						50
HD2045	450	100	590						
R60-7	165	45	285	700	600	500	0.2	160	20
R225-7	330	80	460	1200	1000	850	1	800	30
R260-5	400	80	510	1260	1150	900	1.3	1100	
PC35R	145	35	200	600	500	400	0.1	70	16
PC40	170	45	230	700	600	500	0.2	160	20
PC50UU									
PC56-7									
PC60-6/7	200	50	310	800	650	600	0.3	200	
PC70									
PC75UU									
PC80									
PC100-5	260	60	375	1000	800	750	0.6	400	30
PC120-5/6									
PC128UU									
PC130-7									
PC138UU	325	80	450	1200	1000	850	1	800	30
PC200-3/5/6/7									
PC220-7							1250	1100	880
PC240-8	345	90	520	1350	1250	950	1.6	1400	40
PC300-5/6/7									
PC350-6/7									
PC360-6/7	375	100	550	1400	1300	1100	2	1800	50
PC400-5/6/7									
PC450									
PC650-5	460	110	700	1600	1550	1300	3.2	3000	
PC1000	500	140	750	1900	1750	1500	5	4800	80
PC1250-7	660	140	840	2100	1900	1700	6.7	6500	80

