



STANDARD RIPPER PARAMETER (mm)									
Excavator Mode	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	W. (kgs)	Material	G. E. T
<b>CAT SERIES</b>									
CAT310	220	65	400	1020	80	374.5		Q345+Alloy steel G.E.T	PC200 teeth
CAT312/D/DL	220	65	400	1070	80	320.58		Q345+Alloy steel G.E.T	PC200 teeth
CAT315/D/DL	280	70	460	1150	80	359.33		Q345+Alloy steel G.E.T	PC200 teeth
CAT320B/C/D/DL	310	80	450	1270	100	332		Q345+Alloy steel G.E.T	PC300 teeth
CAT324/325D/325DL	360	80	490	1330	100	356	635	Q345+Alloy steel G.E.T	PC400 teeth
E330	390	80	490	1660	100	350		Q345+Alloy steel G.E.T	D100P teeth
CAT330B/C, CAT329D/DL	390	90/80	490	1400	100	395.67	860	Q345+Alloy steel G.E.T	PC400 teeth
CAT330D	390	100/90	500					Q345+Alloy steel G.E.T	PC400 teeth
EC360	420	100	560	1400	100	379		Q345+Alloy steel G.E.T	PC400 teeth
CAT D9L RIPPER								Hardox 400	
DH55-5	155	45	260	700	600	500		170	20
DH80-7	200	45	290	800	650	600		200	
DH150	280	65	385	1000	800	750		400	30
DH220-5/7									
DH225-7	335	80	460	1200	1050	860		900	30
DH258									
DH300	395	90	510	1300	1200	950		1300	40
DH330									
DH360	410	100	550	1350	1250	950		1400	50
ZAX50	160	45	230	700	600	500		170	20

ZAX55										
EX60	180	45	310	800	650	600		200		
ZAX70	200	50	310							
EX100	260	65	380	1000	800	750		400	30	
EX120-5										
ZAX180	310	80	475	1200	1000	850		800	30	
EX200-5										
ZAX200-3										
ZAX210-3										
ZAX220	410	90	475	1200	1050	860		900	40	
EX230										
ZAX230-3										
ZAX240-3										
ZAX250-3										
ZAX270-3										
ZAX280-3										
EX300	420	100	585	1300	1200	950		1300	50	
EX330										
ZAX330										
ZAX350										
ZAX360-3										
EX400	470	110	590	1400	1300	1100		1800		
ZAX450										
ZAX470										
EX700	555	130	670	1700	1500	1200		2900	80	
ZAX850	570	140/130	700	1750	2000	1300		4100		
ZAX870										
HD250	200	55	320						20	
HD307										
HD513	275	65	410							
HD550	295	60	400						25	
HD700-5/7	305	70	510	1100	950	800		700	30	
HD800										

HD820-2/3										
HD1023-1	305	80	510	1200	1000	850		800		
HD1250	330	90	530						40	
HD1430	330	90	560	1350	1250	950		1400		
HD1880	450	100	590						50	
HD2045	450	100	590							
R60-7	165	45	285	700	600	500		160	20	
R225-7	330	80	460	1200	1000	850		800	30	
R260-5	400	80	510	1260	1150	900		1100		
PC35R	145	35	200	600	500	400		70	16	
PC40										
PC50UU	170	45	230	700	600	500		160		
PC56-7										
PC60-6/7									20	
PC70	200	50	310	800	650	600		200		
PC75UU										
PC80										
PC100-5										
PC120-5/6										
PC128UU	260	60	375	1000	800	750		400	30	
PC130-7										
PC138UU										
PC200-3/5/6/7										
PC220-7	325	80	450	1200	1000	850		800	30	
PC240-8				1250	1100	880		1000		
PC300-5/6/7										
PC350-6/7	345	90	520	1350	1250	950		1400	40	
PC360-6/7										
PC400-5/6/7										
PC450	375	100	550	1400	1300	1100		1800	50	
PC650-5	460	110	700	1600	1550	1300		3000		
PC1000	500	140	750	1900	1750	1500		4800	80	

PC1250-7	660	140	840	2100	1900	1700		6500	80	
SH60	180	50	300	800	650	600		200	20	
SH120	260	65	380	1000	800	750		400	30	
SH200/3	310	80	450	1200	1050	860		900	30	
SH210										
SH220	330	90	470	1250	1100	880		1000	40	
SH240-5										
SH300	400	90	535	1350	1250	950		1400		
SH330										
SH350-3										
SH400	460	100	550	1400	1300	1100		1800	50	
SH450	480	100	570	1450	1350	1150		2000		
SK60	180	50	310	800	650	600		200	20	
SK100	220	60	370	1000	800	750		400	30	
SK120	250	65	370							
SK135										
SK200-6/7	325	80	430	1200	1050	860		900	30	
SK210-8										
SK220	325	90	500	1250	1100	880		1000	40	
SK250-6										
SK250-8										
SK260-6										
SK260-8										
SK300	385	90	510	1350	1250	950		1400		
SK320										
SK330										
SK350-8										
SK480	460	100	635	1600	1500	1100		2300	50	
SY310C	350	90		1350	1250	950		1400	40	
VOLV0210	330	80	465	1200	1050	860		900	30	

<b>VOLV0240</b>	375	90	510	1300	1200	900		1200	40	
<b>VOLV0290</b>	430	90	520	1350	1250	950		1400		
<b>VOLV0460</b>	435	110/100	575	1600	1500	1100		2300	50	